

**To:** Daly, Eric[Daly.Eric@epa.gov]  
**Cc:** Benton, Tim[Tim.Benton@WestonSolutions.com]; Nwosu, Bernard[Ben.Nwosu@WestonSolutions.com]  
**From:** Lisichenko, Peter  
**Sent:** Fri 5/27/2016 9:06:38 PM  
**Subject:** Re: Equipment Rental Request - Niagara Falls Boulevard Removal Site

3 units for assessment, 2 units for removal. Battery for assessment.

\*\*\*Sent from my mobile device\*\*\*

Peter Lisichenko  
603.512.4350 cell/text

On May 27, 2016, at 4:52 PM, Daly, Eric <[Daly.Eric@epa.gov](mailto:Daly.Eric@epa.gov)> wrote:

We have dust monitoring for the clearing of the brush prior to surveying. That's really assessment. Then we have monitoring while we take up concrete and excavate soil. That's removal. Peter may be able to explain better as far as how to split costs. We did this at Holy Trinity as well.

Regards,

Eric

"We must, indeed, all hang together, or assuredly we shall all hang separately", Benjamin Franklin

Eric M. Daly  
On-Scene Coordinator/Radiological Response Specialist  
US Environmental Protection Agency- Region II

ERRD/RPB/PPS  
[2890 Woodbridge Avenue](https://www.google.com/maps/place/2890+Woodbridge+Avenue,+Edison,+NJ+08837/@40.6188889,-74.375,15z)  
[Edison, NJ 08837](https://www.google.com/maps/place/Edison,+NJ+08837/@40.6188889,-74.375,15z)  
[daly.eric@epa.gov](mailto:daly.eric@epa.gov)  
[732-321-4350](tel:732-321-4350)

On May 27, 2016, at 3:54 PM, Benton, Tim <[Tim.Benton@WestonSolutions.com](mailto:Tim.Benton@WestonSolutions.com)> wrote:

Eric,

The intrusive work which requires the establishment of the perimeter dust monitoring seems to be all related to the removal which is why the cost was applied to that TDD.

If you would like to split cost please just let me know how you would like it to be split and I will send along a revised request.

Thanks,

Tim

**From:** Daly, Eric [<mailto:Daly.Eric@epa.gov>]

**Sent:** Friday, May 27, 2016 3:51 PM

**To:** Benton, Tim

**Cc:** Craig, Richard; Pane, Mark; Oldland, Colin; Hoppe, Shawna K; Eng, Helen; Region2  
ERRD RSS; Francis, Rick; Lisichenko, Peter; Nwosu, Bernard

**Subject:** Re: Equipment Rental Request - Niagara Falls Boulevard Removal Site

I agree with the cost. We should discuss if we should be splitting some cost between assessment and removal. Part of the work is so we can prepare for removal but we also are clearing to survey the staging area. Basically assessing for possible future removal that is not part of this action memo (the wooded area).

Regards,

Eric

"We must, indeed, all hang together, or assuredly we shall all hang separately",

Benjamin Franklin

Eric M. Daly

On-Scene Coordinator/Radiological Response Specialist

US Environmental Protection Agency- Region II

ERRD/RPB/PPS

2890 Woodbridge Avenue

Edison, NJ 08837

[daly.eric@epa.gov](mailto:daly.eric@epa.gov)

732-321-4350

On May 27, 2016, at 3:00 PM, Benton, Tim <[Tim.Benton@WestonSolutions.com](mailto:Tim.Benton@WestonSolutions.com)>  
wrote:

Eric,

RST 3 is requesting your concurrence for the up to two week rental (5/31/2016 through 6/15/2016) of five DustTracks, five tripods with DustTrack enclosures, five netronics wireless setups, and one 12 volt marine battery to be utilized during the Removal Action at the Niagara Falls Boulevard Removal Site under TDD No. TO-0006-0225. If you agree with this rental request, please email Shawna Hoppe and myself so a TDD in the amount of \$2,535.90 can be issued. If you have any questions please let me know.

Shawna,

Upon Eric's approval of this equipment rental request please be advised that a new equipment TDD will need to be created for the assignment as no equipment TDD is currently open for this assignment to date.

Thanks,

Timothy Benton, CHMM

**RST 3 Operations Lead/**

**Deputy Program Manager**

Weston Solutions, Inc.

1090 King George Post Road

Suite 201

Edison, New Jersey 08837

Office Phone: (732) 585-4425

Cell Phone: (908) 565-2973

Fax: (732) 225-7037

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.